

SUPPLEMENTARY TABLE WITH REFERENCES

Supplementary Table 1. The basic information of included papers.

Reference	Treatment	Dose	Indicator	Source	Note
Akhoon et al., 2016 [1]	WA	5 μM	ML Lipofus cin Bend Bend Bend <i>daf-16</i> <i>sod-3</i> <i>hsp-16.2</i>	Table 1 Fig. 1B Fig. 2A Fig. 2A Fig. 2A Fig. 9 Fig. 9 Fig. 9	Day 1 adulthood Day 3 adulthood Day 5 adulthood
Chou et al., 2019 [2]	STS	2-day	ML ML ML CML CML CML <i>sod-3</i> <i>sod-3</i> <i>sod-3</i>	Fig. S1B Fig. S1B Fig. S1B Fig. S1B Fig. S1B Fig. S1B Fig. 1e Fig. 1e Fig. 1e	Young-age Mid-age Repetitive fasting Young-age Mid-age Repetitive fasting Young-age Mid-age Repetitive fasting
Kim et al., 2010 [3]	[TAT-PtBP-Pt]	5 μM	Lipofus cin ML OML	Fig. 1L Table 2 Table 2	
Kishimoto et al., 2017 [4]	As NaCl Fasting	1 mM 150 mM 1 day	OML Bend Bend OML Bend Bend OML	Table S1 Fig. 2a Fig. 2a Table S1 Fig. 2a Fig. 2a Table S1	P0 P0, day 4 adulthood P0, day 6 adulthood P0 P0, day 4 adulthood P0, day 6 adulthood P0

			Bend	Fig. 2a	P0, day 4 adulthood
			Bend	Fig. 2a	P0, day 6 adulthood
Kogure et al., 2017 [5]	IF	2-3 days	ML <i>sod-3</i>	Table 1 Fig. 5	
Kronberg et al., 2018 [6]	Glyphosate F	4.8 mM	<i>sod-3</i> <i>ctl-1</i>	Fig. 2 Fig. 2	
Olsen et al., 2006 [7]	RHS	33°C for 4 h	<i>ctl-1</i> ML ML ML ML ML ML ML ML ML ML ML ML ML ML ML	Fig. 3A Table 1 Table 1	Treatment on the 4th and 8th day Treatment on the 4th, 8th and 12th day Treatment on the 4th, 8th, 12th and 16th day Treatment on the 8th and 12th day Treatment on the 8th, 12th and 16th day Treatment on the 4th and 12th day Treatment on the 4th and 16th day Treatment on the 12th and 16th day
Pandey et al., 2018 [8]	JBEO	10 ppm	ML Pumpin g Pumpin g Pumpin g Lipofus cin	Table 2 Fig. 4 Fig. 4 Fig. 4 Fig. 4	Day 2 adulthood Day 5 adulthood Day 10 adulthood
Pietsch et al., 2011 [9]	Q	200 µM	ML Pumpin g Pumpin g Pumpin g Lipofus cin	Table S1 Fig. 3a Fig. 3a Fig. 3a Fig. 5h	Day 3 adulthood Day 6 adulthood Day 10 adulthood
	CA	300 µM	ML Pumpin g Pumpin g Pumpin g Lipofus cin	Table S2 Fig. 3a Fig. 3a Fig. 3a Fig. 5h	Day 3 adulthood Day 6 adulthood Day 10 adulthood

	RA	200 µM	ML	Table S3
		Pumpin g	Fig. 3a	Day 3 adulthood
		Pumpin g	Fig. 3a	Day 6 adulthood
		Pumpin g	Fig. 3a	Day 10 adulthood
		Lipofus cin	Fig. 5h	
Rathor et al., 2015 [10]	FA	25 µM	ML	Table 1
		Pumpin g	Fig. 2b	2-day-old
		Pumpin g	Fig. 2b	5-day-old
		Pumpin g	Fig. 2b	10-day-old
		Lipofus cin	Fig. 5	
		<i>daf-16</i>	Fig. 9	
		<i>sod-3</i>	Fig. 9	
Rathor and Pandey, 2018 [11]	BOB	25 µM	ML	Table 1
		Pumpin g	Fig. 3A	Day 5 adulthood
		Pumpin g	Fig. 3A	Day 10 adulthood
		Bend	Fig. 3C	Day 5 adulthood
		Bend	Fig. 3C	Day 10 adulthood
		Lipofus cin	Fig. 7C	
		<i>daf-16</i>	Fig. 11	
		<i>sod-3</i>	Fig. 11	
		<i>hsp-16.2</i>	Fig. 11	
		<i>ctl-1</i>	Fig. 11	
Schmeisser et al., 2013 [12]	AsO ₂	0.1 µM	ML	Table 1
Shanmugam et al., 2018 [13]	Phytochemicals	300 µg/mL	ML	Table 1
Shukla et al., 2012 [14]	4-HEG	20 µM	ML	Table 2
		Pumpin g	Fig. 5A	Young
		Pumpin g	Fig. 5A	Day 5 adulthood
		<i>hsp-16.2</i>	Fig. 7	
		<i>sod-3</i>	Fig. 7	
Urban et al., 2017 [15]	DEM	100 µM	ML	Table 2

		OML	Table 3	
		<i>sod-3</i>	Fig. 5A	Treatment for 1 day
		<i>sod-3</i>	Fig. 5A	Treatment for 2 days
		<i>sod-3</i>	Fig. 5A	Treatment for 3 days
		<i>sod-3</i>	Fig. 5A	Treatment for 5 days
		<i>sod-3</i>	Fig. 5A	Treatment for 7 days
		<i>sod-3</i>	Fig. 5A	Treatment for 10 days
		<i>ctl-1</i>	Fig. 5B	Treatment for 1 day
		<i>ctl-1</i>	Fig. 5B	Treatment for 2 days
		<i>ctl-1</i>	Fig. 5B	Treatment for 3 days
		<i>ctl-1</i>	Fig. 5B	Treatment for 5 days
		<i>ctl-1</i>	Fig. 5B	Treatment for 7 days
		<i>ctl-1</i>	Fig. 5B	Treatment for 10 days
Wang et al., 2010a [16]	Pre-treatment with UV irradiation	Bend	Fig. 3	Post-treatment with 50 µM Hg
		10J/m ² /m in		
		Bend	Fig. 3	Post-treatment with 100 µM Hg
		Bend	Fig. 3	Post-treatment with 200 µM Hg
		Bend	Fig. 3	Post-treatment with 50 µM Pb
		Bend	Fig. 3	Post-treatment with 100 µM Pb
		Bend	Fig. 3	Post-treatment with 200 µM Pb
		Bend	Fig. 3	Post-treatment with 50 µM Cr
		Bend	Fig. 3	Post-treatment with 100 µM Cr
		Bend	Fig. 3	Post-treatment with 200 µM Cr
Wang et al., 2010b [17]	DMSO	0.5%	ML	Table 1
			HML	Fig. 2B
			<i>hsp-16.2</i>	Fig. 2D
Wang and Xing, 2009 [18]	Pre-treatment with Pb	2.5 µM	Bend	Fig. 3
			Bend	Post-treatment with 50 µM Pb
	Pre-treatment with Hg	2.5 µM	Bend	Fig. 3
			Bend	Post-treatment with 100 µM Hg
	Pre-treatment with Cu	2.5 µM	Bend	Fig. 3
			Bend	Post-treatment with 50 µM Hg
			Bend	Post-treatment with 100 µM Hg
			Bend	Post-treatment with 50 µM Cu

			Bend	Fig. 3	Post-treatment with 100 µM Cu
	Pre-treatment with Cr	2.5 µM	Bend	Fig. 3	Post-treatment with 50 µM Cr
			Bend	Fig. 3	Post-treatment with 100 µM Cr
Wu et al., 2019 [19]	Ethanol	2%	ML	Table 2	
			Bend	Fig. 2	
			Pumpin g	Fig. 2	
Xu et al., 2017 [20]	Convallatoxin	20 µM	Pumpin g	Fig. 2C	4-day-old
			Pumpin g	Fig. 2C	6-day-old
			Pumpin g	Fig. 2C	8-day-old
			Pumpin g	Fig. 2C	10-day-old
			Pumpin g	Fig. 2C	12-day-old
			Lipofus cin	Fig. 2F	
			<i>daf-16</i>	Fig. 7	
			<i>sod-3</i>	Fig. 7	
Yanase and Ishii, 2008 [21]	Hyperoxia	90% oxygen	ML	Table 1	
Yu et al., 2011 [22]	Ethanol	2%	Bend	Fig. 2A	Treatment for 3 days
			Bend	Fig. 2A	Treatment for 5 days
			Bend	Fig. 2A	Treatment for 7 days
			Bend	Fig. 2A	Treatment for 9 days
			Bend	Fig. 2A	Treatment for 11 days
			Bend	Fig. 2A	Treatment for 13 days
			Bend	Fig. 2A	Treatment for 15 days
			Pumpin g	Fig. 2B	Treatment for 4 days
			Pumpin g	Fig. 2B	Treatment for 5 days
			Pumpin g	Fig. 2B	Treatment for 6 days
			Pumpin g	Fig. 2B	Treatment for 7 days
Zhang et al., 2015 [23]	OA	300 µM	ML	Table 1	
			OML	Table 2	
			Pumpin g	Fig. 3A	Day 3 adulthood
			Pumpin g	Fig. 3A	Day 6 adulthood

				Pumpin g	Fig. 3A	Day 10 adulthood
				<i>daf-16</i>	Fig. 4C	
				<i>sod-3</i>	Fig. 4C	
				<i>hsp-16.2</i>	Fig. 4C	
				<i>ctl-1</i>	Fig. 4C	
Zhao et al., 2017 [24]	Emodin	150 µM	ML	Table 1		
			OML	Table 2		
			HML	Table 2		
			<i>sod-3</i>	Fig. 3E		
			<i>hsp-16.2</i>	Fig. 3E		
			<i>ctl-1</i>	Fig. 3E		
Zhou et al., 2017 [25]	Arbutin	5 mM	ML	Fig. 1		
			HML	Fig. 2A		
			OML	Fig. 2B		
			UML	Fig. 2C		
			<i>daf-16</i>	Fig. 6A		
			<i>sod-3</i>	Fig. 6B		
			<i>hsp-16.2</i>	Fig. 6C		
Zhu et al., 2016 [26]	[OMMIM]Br	0.01 mg/L	ML	Fig. 2		
			Lipofus cin	Fig. 4A	Treatment for 2 days	
			Lipofus cin	Fig. 4A	Treatment for 5 days	
			Lipofus cin	Fig. 4A	Treatment for 7 days	
			Lipofus cin	Fig. 4A	Treatment for 9 days	
			Lipofus cin	Fig. 4A	Treatment for 11 days	
			<i>daf-16</i>	Fig. 5B	Treatment for 2 days	
			<i>daf-16</i>	Fig. 5B	Treatment for 5 days	
			<i>daf-16</i>	Fig. 5B	Treatment for 7 days	
			<i>daf-16</i>	Fig. 5B	Treatment for 9 days	
			<i>daf-16</i>	Fig. 5B	Treatment for 11 days	
	[DMMIM]Br	0.01 mg/L	ML	Fig. 2		

	Lipofus	Fig.	Treatment for 2 days
	cin	4A	
	Lipofus	Fig.	Treatment for 5 days
	cin	4A	
	Lipofus	Fig.	Treatment for 7 days
	cin	4A	
	Lipofus	Fig.	Treatment for 9 days
	cin	4A	
	Lipofus	Fig.	Treatment for 11 days
	cin	4A	
[DoMMIM]Br	<i>daf-16</i>	Fig.	Treatment for 2 days
0.01		5B	
mg/L	<i>daf-16</i>	Fig.	Treatment for 5 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 7 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 9 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 11 days
		5B	
ML	Fig. 2		
	Lipofus	Fig.	Treatment for 2 days
	cin	4A	
	Lipofus	Fig.	Treatment for 5 days
	cin	4A	
	Lipofus	Fig.	Treatment for 7 days
	cin	4A	
	Lipofus	Fig.	Treatment for 9 days
	cin	4A	
	Lipofus	Fig.	Treatment for 11 days
	cin	4A	
	<i>daf-16</i>	Fig.	Treatment for 2 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 5 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 7 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 9 days
		5B	
	<i>daf-16</i>	Fig.	Treatment for 11 days
		5B	

Abbreviation: CML, mean lifespan measured under cold stress; HML, mean lifespan measured under heat stress; NML, mean lifespan measured under normal condition; UML, mean lifespan measured under UV irradiation stress; *ctl-1*, catalase-1; *daf-16*, dauer formation protein-16; *hsp-16.2*, small heat shock protein-16.2; *sod-3*, superoxide dismutase-3. As, Arsenic; BOB, Boeravinone B; CA, Caffeic acid; DEM, Diethyl maleate; [DoMMIM]Br, 1-decyl-2-methyl-3-methyl-imidazolium bromine; DMSO, Dimethyl sulfoxide; [DoMMIM]Br, 1-dodecyl-2- methyl-3-methyl- imidazolium bromine; FA, Folic acid; IF, Intermittent fasting; JBEO, Juniper berry essential oil; OA, Oleanolic acid; [OMMIM]Br, 1-octyl-2-methyl-3-methyl-imidazolium bromine; Q, Quercetin; RA, Rosmarinic acid; RHS, Repeated heat shock; STS, Short-term starvation; [TAT-PtBP-Pt], TAT-conjugated nano-Pt; WA, Withanolide A; 4-HEG, 4-Hydroxy-E-globularinin.

SUPPLEMENTARY REFERENCES

1. Akhoon BA, Pandey S, Tiwari S, Pandey R. Withanolide A offers neuroprotection, ameliorates stress resistance and prolongs the life expectancy of *Caenorhabditis elegans*. *Exp Gerontol.* 2016; 78:47–56.
<https://doi.org/10.1016/j.exger.2016.03.004>
PMID:[26956478](#)
2. Chou WY, Lin YC, Lee YH. Short-term starvation stress at young adult stages enhances meiotic activity of germ cells to maintain spermatogenesis in aged male *Caenorhabditis elegans*. *Aging Cell.* 2019; 18:e12930.
<https://doi.org/10.1111/acel.12930> PMID:[30816005](#)
3. Kim J, Shirasawa T, Miyamoto Y. The effect of TAT conjugated platinum nanoparticles on lifespan in a nematode *Caenorhabditis elegans* model. *Biomaterials.* 2010; 31:5849–54.
<https://doi.org/10.1016/j.biomaterials.2010.03.077>
PMID:[20434216](#)
4. Kishimoto S, Uno M, Okabe E, Nono M, Nishida E. Environmental stresses induce transgenerationally inheritable survival advantages via germline-to-soma communication in *Caenorhabditis elegans*. *Nat Commun.* 2017; 8:14031.
<https://doi.org/10.1038/ncomms14031>
PMID:[28067237](#)
5. Kogure A, Uno M, Ikeda T, Nishida E. The microRNA machinery regulates fasting-induced changes in gene expression and longevity in *Caenorhabditis elegans*. *J Biol Chem.* 2017; 292:11300–09.
<https://doi.org/10.1074/jbc.M116.765065>
PMID:[28507100](#)
6. Kronberg MF, Clavijo A, Moya A, Rossen A, Calvo D, Pagano E, Munarriz E. Glyphosate-based herbicides modulate oxidative stress response in the nematode *Caenorhabditis elegans*. *Comp Biochem Physiol C Toxicol Pharmacol.* 2018; 214:1–8.
<https://doi.org/10.1016/j.cbpc.2018.08.002>
PMID:[30142450](#)
7. Olsen A, Vantipalli MC, Lithgow GJ. Lifespan extension of *Caenorhabditis elegans* following repeated mild hormetic heat treatments. *Biogerontology.* 2006; 7:221–30. <https://doi.org/10.1007/s10522-006-9018-x>
PMID:[16826446](#)
8. Pandey S, Tiwari S, Kumar A, Niranjan A, Chand J, Lehri A, Chauhan PS. Antioxidant and anti-aging potential of Juniper berry (*Juniperus communis* L.) essential oil in *Caenorhabditis elegans* model system. *Ind Crops Prod.* 2018; 120:113–22.
<https://doi.org/10.1016/j.indcrop.2018.04.066>
9. Pietsch K, Saul N, Chakrabarti S, Stürzenbaum SR, Menzel R, Steinberg CE. Hormetins, antioxidants and prooxidants: defining quercetin-, caffeic acid- and rosmarinic acid-mediated life extension in *C. elegans*. *Biogerontology.* 2011; 12:329–47.
<https://doi.org/10.1007/s10522-011-9334-7>
PMID:[21503726](#)
10. Rathor L, Akhoon BA, Pandey S, Srivastava S, Pandey R. Folic acid supplementation at lower doses increases oxidative stress resistance and longevity in *Caenorhabditis elegans*. *Age (Dordr).* 2015; 37:113.
<https://doi.org/10.1007/s11357-015-9850-5>
PMID:[26546011](#)
11. Rathor L, Pandey R. Age-induced diminution of free radicals by Boeravinone B in *Caenorhabditis elegans*. *Exp Gerontol.* 2018; 111:94–106.
<https://doi.org/10.1016/j.exger.2018.07.005>
PMID:[30004006](#)
12. Schmeisser S, Schmeisser K, Weimer S, Groth M, Priebe S, Fazius E, Kuhlow D, Pick D, Einax JW, Guthke R, Platzer M, Zarse K, Ristow M. Mitochondrial hormesis links low-dose arsenite exposure to lifespan extension. *Aging Cell.* 2013; 12:508–17.
<https://doi.org/10.1111/acel.12076> PMID:[23534459](#)
13. Govindan S, Amirthalingam M, Duraisamy K, Govindhan T, Sundararaj N, Palanisamy S. Phytochemicals-induced hormesis protects *Caenorhabditis elegans* against α-synuclein protein aggregation and stress through modulating HSF-1 and SKN-1/Nrf2 signaling pathways. *Biomed Pharmacother.* 2018; 102:812–22.
<https://doi.org/10.1016/j.biopha.2018.03.128>
PMID:[29605769](#)
14. Shukla V, Yadav D, Phulara SC, Gupta MM, Saikia SK, Pandey R. Longevity-promoting effects of 4-hydroxy-E-globularinin in *Caenorhabditis elegans*. *Free Radic Biol Med.* 2012; 53:1848–56.
<https://doi.org/10.1016/j.freeradbiomed.2012.08.594>
PMID:[23000058](#)
15. Urban N, Tsitsipatis D, Hausig F, Kreuzer K, Erler K, Stein V, Ristow M, Steinbrenner H, Klotz LO. Non-linear impact of glutathione depletion on *C. elegans* life span and stress resistance. *Redox Biol.* 2017; 11:502–15.
<https://doi.org/10.1016/j.redox.2016.12.003>
PMID:[28086197](#)
16. Wang D, Liu P, Xing X. Pre-treatment with mild UV irradiation increases the resistance of nematode *Caenorhabditis elegans* to toxicity on locomotion behaviors from metal exposure. *Environ Toxicol Pharmacol.* 2010a; 29:213–22.
<https://doi.org/10.1016/j.etap.2010.01.002>
PMID:[21787605](#)

17. Wang X, Wang X, Li L, Wang D. Lifespan extension in *Caenorhabditis elegans* by DMSO is dependent on *sir-2.1* and *daf-16*. *Biochem Biophys Res Commun.* 2010b; 400:613–18.
<https://doi.org/10.1016/j.bbrc.2010.08.113>
PMID:[20828537](#)
18. Wang D, Xing X. Pre-treatment with mild metal exposure suppresses the neurotoxicity on locomotion behavior induced by the subsequent severe metal exposure in *Caenorhabditis elegans*. *Environ Toxicol Pharmacol.* 2009; 28:459–64.
<https://doi.org/10.1016/j.etap.2009.07.008>
PMID:[21784043](#)
19. Wu ZQ, Li K, Ma JK, Li ZJ. Effects of ethanol intake on anti-oxidant responses and the lifespan of *Caenorhabditis elegans*. *CYTA J Food.* 2019; 17:288–96.
<https://doi.org/10.1080/19476337.2018.1564794>
20. Xu J, Guo Y, Sui T, Wang Q, Zhang Y, Zhang R, Wang M, Guan S, Wang L. Molecular mechanisms of anti-oxidant and anti-aging effects induced by convallatoxin in *Caenorhabditis elegans*. *Free Radic Res.* 2017; 51:529–44.
<https://doi.org/10.1080/10715762.2017.1331037>
PMID:[28503972](#)
21. Yanase S, Ishii N. Hyperoxia exposure induced hormesis decreases mitochondrial superoxide radical levels via Ins/IGF-1 signaling pathway in a long-lived age-1 mutant of *Caenorhabditis elegans*. *J Radiat Res* (Tokyo). 2008; 49:211–18.
<https://doi.org/10.1269/jrr.07043> PMID:[18285659](#)
22. Yu X, Zhao W, Ma J, Fu X, Zhao ZJ. Beneficial and harmful effects of alcohol exposure on *Caenorhabditis elegans* worms. *Biochem Biophys Res Commun.* 2011; 412:757–62.
<https://doi.org/10.1016/j.bbrc.2011.08.053>
PMID:[21871869](#)
23. Zhang J, Lu L, Zhou L. Oleanolic acid activates *daf-16* to increase lifespan in *Caenorhabditis elegans*. *Biochem Biophys Res Commun.* 2015; 468:843–49.
<https://doi.org/10.1016/j.bbrc.2015.11.042>
PMID:[26592451](#)
24. Zhao X, Lu L, Qi Y, Li M, Zhou L. Emodin extends lifespan of *Caenorhabditis elegans* through insulin/IGF-1 signaling pathway depending on DAF-16 and SIR-2.1. *Biosci Biotechnol Biochem.* 2017; 81:1908–16.
<https://doi.org/10.1080/09168451.2017.1365592>
PMID:[28831863](#)
25. Zhou L, Fu X, Jiang L, Wang L, Bai S, Jiao Y, Xing S, Li W, Ma J. Arbutin increases *Caenorhabditis elegans* longevity and stress resistance. *PeerJ.* 2017; 5:e4170.
<https://doi.org/10.7717/peerj.4170> PMID:[29340230](#)
26. Zhu CJ, Peng Y, Tong ZH, Lu LY, Cui YH, Yu HQ. Hormetic effect and mechanism of imidazolium-based ionic liquids on the nematode *Caenorhabditis elegans*. *Chemosphere.* 2016; 157:65–70.
<https://doi.org/10.1016/j.chemosphere.2016.05.007>
PMID:[27209554](#)