

SUPPLEMENTARY TABLE

Supplementary Table 1. Primer sequences.

Primers used for qRT-PCR	
<i>mGapdh</i> -F	5'ACTCCACTCACGGCAAATTCAACG3'
<i>mGapdh</i> -R	5'TCTCGTGGTTCACACCCATCACAA3'
<i>mCsf1</i> -F	5'GCCTCCTGTTCTACAAGTGGAAG3'
<i>mCsf1</i> -R	5'ACTGGCAGTTCACCTGTCTGT3'
<i>mCsf2</i> -F	5'CTCACCTGCTGCTACTCATT3'
<i>mCsf2</i> -R	5'ACTACAGCTTCTTTGGGACAC3'
<i>mCcl2</i> -F	5'GGAGAGCTACAAGAGGATCAC3'
<i>mCcl2</i> -R	5'GTATGTCTGGACCCATTCTTC3'
<i>mCcl3</i> -F	5'GAAGATTCCACGCCAATTCATC3'
<i>mCcl3</i> -R	5'GATCTGCCGGTTTCTCTTAGTC3'
<i>mCcl4</i> -F	5'AGCTCTGTGCAAACCTAACC3'
<i>mCcl4</i> -R	5'GGTGTAAGAGAAACAGCAGGAA3'
<i>mCcl5</i> -F	5'GAGTATTTCTACACCAGCAGCA3'
<i>mCcl5</i> -R	5'CCACTTCTTCTCTGGGTTGG3'
<i>mIl6</i> -F	5'TACCACTTCACAAGTCGGAGGC3'
<i>mIl6</i> -R	5'CTGCAAGTGCATCATCGTTGTTC3'
<i>hGAPDH</i> -F	5'GGTGGTCTCCTCTGACTTCAACA3'
<i>hGAPDH</i> -R	5'GTTGCTGTAGCCAAATTCGTTGT3'
<i>hCSF1</i> -F	5'TGAGACACCTCTCCAGTTGCTG3'
<i>hCSF1</i> -R	5'GCAATCAGGCTTGGTCACCACA3'
<i>hCSF2</i> -F	5'CTGCTGCTGAGATGAATGAAAC3'
<i>hCSF2</i> -R	5'CCCTTGAGCTTGGTGAGG3'
<i>hCCL2</i> -F	5'AGCAAGTGTCCTCAAAGAAGC3'
<i>hCCL2</i> -R	5'CATGGAATCCTGAACCCACT3'
<i>hCCL3</i> -F	5'TGCATCACTTGCTGCTGACA3'
<i>hCCL3</i> -R	5'CTTCTGGACCCCTCAGGCACT3'
<i>hCCL4</i> -F	5'CTCATGCTAGTAGCTGCCTTC3'
<i>hCCL4</i> -R	5'GGC TGCTGGTCTCATAGTAATC3'
<i>hCCL5</i> -F	5'ACAGGTACCATGAAGGTCTCC3'
<i>hCCL5</i> -R	5'GCAAATTTGTGTAAGTTCAGG3'
<i>hIL6</i> -F	5'GGAGACTTGCCTGGTGAAA3'
<i>hIL6</i> -R	5'CTGGCTTGTTCTCACTACTC3'
Primers used for amplifying <i>IL17D</i> ORF	
<i>IL17D</i> -ORF-F	5'CGGGATCCATGGATTACAAGGATGACGACGATAAGCTGGTAGCCGGCTTC3'
<i>IL17D</i> -ORF-R	5'CGGGATCCTCAGGGGCCAGCGGGCGCGT3'
shRNA sequences for <i>IL17D</i>	
<i>shIL17D</i> -501	5'GATCCCCAGACAGCATCAACTCCAGCATTTCAAGAGAATGCTGGAGTTGATGCTGTCTTTTTTA3'
<i>shIL17D</i> -301	5'AGCTTAAAAAAGACAGCATCAACTCCAGCATTCTCTTGAAATGCTGGAGTTGATGCTGTCTGG G3'
<i>shIL17D</i> -502	5'GATCCCCCTGTCTACATGCCACCGTTTCAAGAGAACGGTGGGCATGTAGACAGGGTTTTTA3'
<i>shIL17D</i> -302	5'AGCTTAAAAACCCTGTCTACATGCCACCGTTCTCTTGAAACGGTGGGCATGTAGACAGGGGGG3'